## Contents of the Licensed Journal «Surface Engineering and Applied Electrochemistry» for 2017

ISSN: 1068-3755 (Print)

ISSN:1934-8002 (Online: https://link.springer.com/journal/volumesAndIssues/11987 ),

## Vol. 53, 2017

	Issue 1 (15 articles)	Pages
1	Plasma electrolytic treatment of VT22 titanium alloy in electrolytes with carbon-	1-6
1	containing compounds. S.A. Kusmanov, I.G. Dyakov, P.N. Belkin.	1–0
2	Electrodeposition of alloys of the iron group metals with tungsten from citrate and	7–14
	gluconate solutions: Size effect of microhardness. S.A. Silkin, A.V. Gotelyak	
3	Synthesis and characterization of photosensible CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> and CH <sub>3</sub> NH <sub>3</sub>	15–19
	PbI <sub>3-x</sub> Cl <sub>x</sub> perovskite crystalline films. I. Plesco, V. Postolache, G. Volodina	
4	On the size of induced charges and the electrostatic dipole of a prolate conducting	20–26
	spheroid positioned collinear to a uniform electrostatic field. N.Yu. Kolbneva,	
	S.O. Shiryaeva.	
5	Computer simulation of the injection mechanism of initiation of EHD flows in liquids	27–33
	with a higher level of low-voltage conductivity. Yu.K. Stishkov, D.V. Bogdanov.	
6	Heat transfer of an evaporator-condensing system with electrohydrodynamic coolant	34-41
	circulation and different spatial orientation. M.K. Bologa, F.P. Grosu,	
	I.V. Kozhevnikov	
7	Inhibition effect of a new pyrimidine derivative on the corrosion of mild steel in	42–51
	hydrochloric acid solution. Prakash B. Shetty, T.H. Suresha Kumara	
8	Effect of Ni/Fe ratio of electrolyte salts on the magnetic property of electrodeposited	52–58
	Fe–Ni alloy. K.M. Shorowordi, M. Moniruzzaman	
9	Kinetics of the hydration reaction at the electrolyte-insulator interface. Shahriar Jamasb	59–63
10	Synthesis of ZSM-5 zeolite from metakaolinite: Effects of the SiO <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> molar ratio, the	64–70
	initial precursor and the presence of organic template agent. Y. Ghrib, N. Frini-Srasra,	
	E. Srasra	
11	Modification of biomass production and biochemical composition of Saccharomyces	71–76
	cerevisiae CNMN-Y-18 and Saccharomyces cerevisiaeCNMN-Y-20 yeasts under the	
	action of extremely high frequency electromagnetic radiation. L. Bejenaru, A. Usatyi,	
	E. Tofan	
12	Dependence of magnetic properties of micro- and nanowires on stress and magnetic heat	77–88
	treatment. S.A. Baranov	
13	Removal of enrofloxacin from aqueous solutions using illite and synthetic zeolite X.	89–97
1.4	M. Mezni, T. Saied, N. Horri, E. Srasra	00.102
14	Experimental studies of a low-pressure electric discharge detector. A.I. Zhakin,	98–103
15	A.A. Lutsenko	104 110
15	Energy conversion in an oscillatory circuit and cylindrical discharge chamber during	104–110
	electric discharge in water. V.M. Kosenkov. Issue 2 (11 articles)	
1	Features of a single crater formation under the influence of the impulse of laser radiation	111–115
1	on the material. S.A. Kochergin, Yu.A. Morgunov	111-113
2	Formation of thick layer electro-spark coatings for restoring worn-out parts of power	116–123
2	hydraulic cylinders. S.A. Velichko, P.V. Senin, V.I. Ivanov	110-123
3	On the possibility of using the Cahn–Hilliard model to describe electrodeposition of	124–136
3	nanostructures. S.A. Baranov	124-130
	nanostructures. S.A. Duranov	

4	Further evidence of phase formation through a liquid state stage in metals being electrodeposited: Part 1. O.B. Girin.	137–143
5	On the stability of ball lightning with respect to its own and induced charges.	144–149
C	N.A. Petrushov, A.I. Grigor'ev	
6	Nonlinear deformations and nonlinear waves on charged and polarizable plane free surfaces. <i>A.I. Zhakin</i>	150–166
7	Effect of process parameters on the formation of boron-titanium and titanium-boron	167–178
	multi-layered diffusion coatings on interstitial-free steel. F.E. Şeşen, Ö.S. Özgen, M.K. Şeşen.	
8	Corrosion behaviour and characterisation of Ni–Nb <sub>2</sub> O <sub>5</sub> composites prepared by pulse	179–185
	electrodeposition. R. Mohan Reddy, B.M. Praveen	
9	Magnetotransport of $Cu_2ZnSnS_4$ single crystals in two regimes of variable-range hopping conduction. <i>M. Guc, E. Lähderanta, M.A. Shakhov</i>	186–195
10	Immobilization of enzyme preparations from <i>Raphanus sativus L</i> . var. <i>niger</i> on natural	196-201
	bentonite and bentonite modified by phosphate ions. M.O. Khodykina, K.D. Pershina	
11	Study of the behavior of three Tunisian clays suitable for the manufacture of ceramics.	202-211
	A. Bennour, E. Srasra, N. Hatira, S. Harabi	
	Issue 3 (14 articles)	
1	Effect of a corona discharge on the morphology and photoluminescence intensity of	213–217
	nanocomposites based on polypropylene (PP) and zirconia (ZrO <sub>2</sub> ) nanoparticles.	
	M.A. Ramazanov, F.V. Hajiyeva	
2	The development of criteria for evaluating the effectiveness of the surface layer	218–223
	formation and its properties in the process of electrospark alloying. Part I. The state of	
	the issue. Kinetic and functional criteria of the efficiency of a doped layer's formation.	
3	V.I. Ivanov, A.D. Verkhoturov	224-228
3	The development of criteria for evaluating the effectiveness of the surface layer formation and its properties in the process of electrospark alloying (ESA). Part 2. The	224-228
	criteria of the effectiveness of the ESA process and electrospark coatings.	
	V.I. Ivanov, A.D. Verkhoturov	
4	Influence of the surface morphology of aluminum foil on the probability of	229–232
-	heterogeneous recombination of $O({}^{3}P)$ atoms in oxygen plasma. N.V. Kholodkova,	
	I.V. Kholodkov	
5	Further evidence of phase formation through a liquid state stage in metals being	233-239
	electrodeposited: Part 2. O.B. Girin.	
6	The effect of gamma irradiation on electret properties of polyethylene. A.A. Guzhova,	240-244
	M.F. Galikhanov.	
7	Comparison of ZnS thin films fabricated by electrodeposition and spray pyrolysis	245-249
	methods. M. Izi, G. Heidari, S.M. Mousavi Khoie	
8	Nonlinear dynamics of electron localization in four-center linear and cyclic type clusters	250-257
	in an external electric field. O.V. Yaltychenko, E.Yu. Kanarovskii	
9	Ni–Si <sub>3</sub> N <sub>4</sub> : Electrodeposition, properties and corrosion behavior. <i>R. Mohan Reddy</i> ,	258–264
10	B.M. Praveen	
10	Sinapis alba as an anti-rusting agent for corrosion of stainless steel in hydrochloric acid	265–273
11	medium. N. Shwetha, Padmalatha Rao	074 004
11	Installations for producing electrospark erosion- and abrasion-resistant coatings on the	274–284
	blades of steam turbines of thermal and nuclear power plants. A.V. Belyakov, A. N. Gorbachev	
12	A. N. Gordachev Electric-spark coatings on a steel base and contact surface for optimizing the working	285-294
12	characteristics of babbitt friction bearings. V.B. Tarel'nik, A.V. Paustovskii	203-274

13	Preparation, qualities and defects of ceramic materials from Tunisian clay minerals.	295-301	
	S. Mahmoudi, E. Srasra, F. Zargouni		
14	Physicochemical and ceramic properties of clays from jebel kebar (Central Tunisia).	302-310	
	O. Ben Amor, A. Elhechi, E. Srasra		
	Issue 4 (11 articles)		
1	Investigation of corrosion resistance of aluminum alloy products with protective coatings	322-326	
	formed by plasma electrolytic oxidation. A.V. Kolomeichenko, N.S. Chernyshov		
2	Evaluation of the antiwear properties of transmission oil with nanoscale powder	311-321	
	additives. V.V. Safonov, V.V. Venskaitis		
3	Study of the kinetics of space charge formation in colloidal magnetic nanoparticles in	327-332	
	liquid dielectrics. K.V. Erin		
4	Process of mass transfer of amorphous alloys under low-voltage electric spark treatment.	333–338	
	I.S. Kuznetsov, A.V. Kolomeichenko		
5	Further evidence of phase formation through a liquid state stage in electrodeposited	339–344	
	metals: Part 3. O.B. Girin		
6	On nonlinear deformation correction to oscillations frequencies of a strongly charged	345-351	
	drop in an electrostatic suspension. A.I. Grigor'ev, N.A. Petrushov		
7	Synthesis of effective electrocatalyst for water splitting application from simple Cu-Ni	352-359	
	bath. L. Elias, R.U. Banjan		
8	Intercalation behavior of salicylic acid into calcined Cu-Al-layered double hydroxides for	360-370	
	a controlled release formulation. M. Haraketi, K. Hosni, E. Srasra		
9	Optimization of mechanical and tribological properties of anodized 5754 aluminium	371-382	
	alloy. M. Bargui, K. Elleuch, M. Wery, H.F. Ayedi		
10	On the mechanism of electric discharge enhancement of processes for purifying plant	383–393	
	fibers from noncellulose substances: Part 2. Chemical and electrophysical influence of		
	electric discharge on an aqueous medium-experimental investigations.		
	P.P. Malyushevskii, A.P. Malyushevskaya		
11	Comparative effectiveness of infrared heat sources for mounting and dismounting	394–399	
	electronic modules. V.L. Lanin, A.I. Lappo		
Issue 5 (14 articles)			
1	A study of the wear resistance of a TiC–SiC composite ceramic material prepared by	401-406	
	spark plasma sintering. M.N. Kachenyuk, O.V. Somov		
2	Anodic plasma electrolytic nitrocarburising of VT22 titanium alloy in carbamide and	407-412	
	ammonium chloride electrolyte. I.V. Tambovskiy, S.A. Kusmanov		
3	Effect of electrolyte depletion on the characteristics of the anodic plasma electrolytic	413-418	
	nitriding of a VT22 titanium alloy. A.A. Smirnov, S.A. Kusmanov		
4	Recent development of calcium phosphate-based coatings on titanium alloy implants.	419-433	
	S.A. Adeleke, A.R. Bushroa, I. Sopyan		
5	New procedure for analyzing processes in a plate precipitator. I.P. Vereshchagin,	434-438	
	K.A. Smagin		
6	Corrosion behavior of severely plastic deformed magnesium based alloys: A review.	439–448	
	D. Ahmadkhaniha, M. Fedel		
7	Fabrication and anticorrosion performance of Ni–P–BN nanocomposite coatings on mild	449-455	
	steel. S. Ranganatha, T.V. Venkatesha		
8	On electromagnetic phenomena arising during the cavitational motion of a liquid in a	456-462	
-	coaxial dielectric channel. V.A. Polyanskii, A.A. Monakhov		
9	The influence of $SiO_2$ and $Al_2O_3$ nanoparticles on corrosion resistance enhancement of	463-466	
	Ni–P on magnesium. S. Sadreddini, H. Rassaee		
	$\sim$		

10	Electrophoretic impregnation of porous anodizing layer by synthesized TiO <sub>2</sub> nanoparticles. <i>M. Bargui, M. Messaoud, K. Elleuch</i>	467–474
11	Corrosion inhibition and adsorption behavior of <i>Murraya koenigii</i> extract for corrosion	475–485
11	control of aluminum in hydrochloric acid medium. <i>Pushpanjali, Suma A. Rao</i>	475-465
12	Impact of the shape of electrode-tool on radical overcut of micro-hole in electrochemical micromachining. <i>R. Thanigaivelan, R. Senthilkumar</i>	486–492
13	Role of thiosulfate in susceptibility of AISI 316L austenitic stainless steels to pitting corrosion in 3.5% sodium chloride solutions. <i>Hosni Ezuber, Abdulla Alshater</i>	493–500
14	Influence of the corona discharge parameters on the sorption properties of birch litter	501-507
	with respect to iron ions. A.Sh. Shaimardanova, I.G. Shaikhiev	
	Issue 6 (12 articles)	
1	Influence of Triazole Stabilizers on the Surface Morphology of Environmentally Benign	509–514
	Electroless Nano Copper Deposition. P. BalaRamesha, P. Venkatesh, R. Thinesh Kumar, and S. Jayalakshmi	
2	Effect of Vanadium Doping on Electrochemical Properties of Carbon Coated Nano	515-524
	Lithium Iron Phosphate for High Rate Applications. T.V.S.L. Satyavania, A. Srinivas	
	Kumar, and P.S.V. Subba Rao	
3	Methods for Controlling the Composition and Morphology of Electrodeposited Fe-Mo	525-532
	and Fe–Co–Mo Coatings. M.V. Ved', I.Yu. Ermolenko, N.D. Sakhnenko,	
	S.I. Zyubanova, and Yu.I. Sachanova	
4	Transport Properties of Solid Solutions of xKYF <sub>4</sub> -(1 - x)PbF <sub>2</sub> System.	533–541
	Yu.V. Pogorenko, P.N. Pshenichnyi, A.A. Omel'chuk, and V.V. Trachevskii	
5	Voltammetric Responses of Black Radish Enzyme Preparation Immobilized on Kaolin	542-550
	and Aerosil. K.D. Pershina, M.O. Khodykina, K.A. Kazdobin, and S.V. Shulga	
6	Electrochemical and Adsorption Studies for the Corrosion Control of 6061 Al Alloy	551-559
	Using Eco-Friendly Inhibitor. B.P. Charitha and Padmalatha Rao	
7	Root and Shoot Extracts of Ajuga chamaecistus subsp. scoparia as Natural Inhibitors for	560-569
	304 Stainless Steel Corrosion in Strong Acidic Medium. Mehdi Shabani-Nooshabadi and	
	Marzieh Kazemi-Darafshani	
8	Impact of Supporting Electrolytes on the Stability of TiO2-Ti Counter Electrode during	570–579
	H <sub>2</sub> O <sub>2</sub> Electrogeneration. Raj Kumar Das and Animes Kumar Golder	
9	Wear and Corrosion Studies of Fe-B-Cr Alloy Coating on en 24 Steel by HVOF	580–586
	Thermal Spray Method. M. Shunmuga Priyan	
10	Corrosion Inhibition Behaviour of Thiourea Derivatives in Acid Media against Mild	587–591
	Steel Deterioration: An Overview. Prakash Shetty	
11	Electric Discharge in the Process for Recovering the Wastes of Printed Circuit Boards.	592–596
	A. R. Rizun, T. D. Denisyuk, and A. O. Domershchikova	
12	Elimination of Irreversible Effects during First Charging of Lithium Battery Anodes.	597-605
	Jiri Libich, Jiri Vondrak, Marie Sedlarikova, Josef Maca, and Ondrej Cech	